



Laboratory Centrifuges



DCS-16 RVT PLUS

ISO 9001/13485 Quality

📍 Calle 34 (ex Francia) No. 3917, San Martín - Buenos Aires - Argentina.
☎ +54 11 4755-7780 / 4004 📞 +54 11 2488 7703
🌐 www.presvac.net ✉ presvac@presvac.net





Laboratory Centrifuges

DCS-16 RVT PLUS

Versatility and precision for everyday work.

The **DCS-16 RVT PLUS** is a medium-capacity centrifuge designed for laboratories, research centers and blood banks, ideal for routine procedures, sample processing and crossmatching.

Its interchangeable rotor system accommodates different sample types, combining operational flexibility with reliable results.



Operation and programming

The **DCS-16 RVT PLUS** lets you program cycle time, speed, acceleration and braking. Its LCD displays speed, RCF, elapsed time and equipment status in real time.

Storing up to 50 programs simplifies repeat procedures, reduces setup time and helps maintain consistent operating conditions.

Key features

- Maintenance-free motor
- LCD with real-time monitoring (RCF, speed, status)
- Full cycle programming (time, speed, acceleration and braking)
- Stores up to 50 programs

Safety and control

- Imbalance, open lid and overspeed alarms
- Lid locking system
- Self-test function
- PC connection



Processing



Active program display



Program selection



Program creation and storage



Deleting stored programs



PC connection and
data transfer



Data storage system
activation



Date and time display

INTERCHANGEABLE ROTORS

Type	Model	Capacity	Compatible with 5 or 8 ml adapters
 Swing bucket 3500 RPM	CP-16	16 x 15 ml	Yes
	CP-24	24 x 15 ml	Yes
	CP-6/50	6 x 50 ml	No
	CP-4/50	4 x 50 ml	No
 Fixed-angle rotor 5000 RPM	CF-36	36 x 8 ml	No
	CF-24	24 x 15 ml	Yes
	CF-16	16 x 15 ml	Yes
	CF-12	12 x 15 ml	Yes
	CF-6	6 x 15 ml	Yes



☎ +54 11 2488 7703 ✉ presvac@presvac.net
🌐 presvac.net

